

# Safety Data Sheet Blue Man Fragrance Oil

November 21st, 2022

### **Section 1: Chemical Product and Company Identification**

Product name: Blue Man Fragrance Oil

Contact Info: Bramble Berry Inc.

2138 Humboldt Street Bellingham, WA 98225 info@brambleberry.com www.brambleberry.com

1-877-627-7883

**Emergency Phone Number:** 

Within USA & Canada: 1.800.424.9300 CCN693143 Outside USA & Canada: +1.703.527.3887 (collect calls

accepted)

### Section 2: Hazards Identification

### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317: May cause an allergic skin reaction



### **Classification Other**

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [ ] IARC [ ] NTP [ ] OSHA [ ]

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

### **Hazard pictograms**





# Signal Word: Danger Hazard statements

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P333 + P313

		4 *			
$\mathbf{r}$	rev	ntı	$\sim$	n	•
	1 C V		v		

P235	Keep cool
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel
	unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell

If skin irritation or a rash occurs: Get medical advice/attention

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse



P370 + P378 In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for

extinction. Do not use a direct water jet on burning material

P391 Collect Spillage

P363 Wash contaminated clothing before reuse

#### 2.3 Other Hazards

no data available

### **Section 3: Composition/Information on Ingredients**

### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a

health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

Chemicals (GHS):

CAS#	EC#	Conc.	GHS Classification
Ingredient		Range	
101-86-0	202-983-3	10-20%	H303; H316; H317; H400; H411
Hexyl cinnamal			
54464-57-2	259-174-3	10-20%	H315; H317; H400; H410
Tetramethyl			
Acetyloctahydronaphthlenes			
1222-05-5	214-946-9	5-10%	H316; H400; H410
Hexamethylindanopyran			
105-95-3	203-347-8	5-10%	H401
Ethylene brassylate			
4940-11-8	225-582-5	2-5%	H302; H401
Ethyl Maltol			
121-33-5	204-465-2	2-5%	H303; H313; H319; H402
Vanillin			
115-95-7	204-116-4	2-5%	H227; H315; H317; H320; H402
Linalyl Acetate			
121-32-4	204-464-7	2-5%	H303; H320; H402
Ethyl Vanillin			
91-64-5	202-086-7	2-5%	H302; H317; H402
Coumarin			
78-70-6	201-134-4	1-2%	H227; H303; H315; H317; H319; H402



Linalool			
5989-27-5	227-813-5	0.1-1.0%	H226; H304; H315; H317; H400; H412
Limonene			
4180-23-8	224-052-0	0.1-1.0%	H303; H316; H317; H401
Anethole			
80-71-7	201-303-2	0.1-1.0%	H302; H317; H402
Methylcyclopentenolone			
80-56-8	201-291-9	0.1-1.0%	H226; H302; H304; H315; H317; H400;
Pinene			H410
3658-77-3	222-908-8	0.1-1.0%	H302; H314; H317; H318; H401
Dimethylhydroxy furanone			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.99

### **Section 4: First Aid Measures**

### 4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms

persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact

physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

### 4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

### **Section 5: Fire-Fighting Measures**

#### 5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material



### 5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

### 5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

### Section 6: Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### **6.2 Environmental precautions**

Keep away from drains, soil, and surface and groundwater.

### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### 6.4 Reference to other sections

Not Applicable

### **Section 7: Handling and Storage**

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available

### **Section 8: Exposure Controls/Personal Protection**

#### 8.1 Control parameters



**Exposure Limits:** 

Component ACGIH ACGIH OSHA OSHA

TWA ppm STEL ppm TWA ppm STEL ppm

**80-56-8** *Pinene* 20

**Engineering Controls:** Use local exhaust as needed. **8.2 Exposure controls - Personal protective equipment** 

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields,

etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where

appropriate.

**Skin protection:** Avoid Skin contact. Use chemically resistant gloves as needed.

### **Section 9: Physical and Chemical Properties**

### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

**Odor:** Conforms to Standard **Color:** Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined

Flashpoint (CCCFP): 200°F (93.33°C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20°C): 0.2010

%VOC: 1.94

Specific Gravity @ 25°C: Not determined

Density @ 25°C: Not determined

Refractive Index @ 20°C: Not determined

Soluble in: Oil

### Section 10: Stability and Reactivity



ReactivityNoneChemical stabilityStablePossibility of hazardous reactionsNone knownConditions to avoidNone known

Incompatible materials Strong oxidizing agents, strong acids, and alkalis

Hazardous decomposition products None known

### **Section 11: Toxicological Information**

### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 3797.3041) May be harmful if swallowed (LD50: 3847.3914) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 86.0501) May be harmful if inhaled

**Skin corrosion / irritation:** Causes skin irritation

Serious eye damage / irritation: Causes serious eye damage

Respiratory sensitization: Not classified - the classification criteria are not met

**Skin sensitization:** May cause an allergic skin reaction

Germ cell mutagenicity:

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure: Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure: Not classified - the classification criteria are not

Aspiration hazard: Not classified - the classification criteria are not met

### **Section 12: Ecological Information**

#### 12.1 Toxicity

Acute aquatic toxicity: Very toxic to aquatic life Chronic aquatic toxicity: No data available.

Toxicity Data on soil: No data available.

Toxicity on other organisms: No data available.



**12.2 Persistence and degradability**: No data available.

**12.3 Bioaccumulative potential**: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

### **Section 13: Disposal Conditions**

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### **Section 14: Transport Information**

Marine Pollutant: Yes. Ingredient of greatest environmental impact:

101-86-0 : (10-20%) : Hexyl cinnamal

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regulated – Not Dangerous Goods			
Chemicals NOI				
ADR/RID (International Road/Rail)	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IATA (Air Cargo)	9	Ш		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				
IMDG (Sea)	9	III		UN3082
Environmentally Hazardous Substance,				
Liquid, n.o.s.				

### **Section 15: Regulatory Information**

### **U.S. Federal Regulations:**

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt. **40 CFR (EPCRA, SARA, CERCLA and CAA):** This product contains the following components

1222-05-5 214-946-9 5-10% Hexamethylindanopyran

**U.S. State Regulations:** 



California Proposition 65 Warning: This product contains the following components:

123-35-3 204-622-5 0.01-0.1% beta-Myrcene (Natural Source)

140-67-0 205-427-8 0.01-0.1% Estragole (Methyl chavicol) (Natural Source)

93-15-2 202-223-0 <=1ppm Methyl Eugenol (Natural Source)

### **Canadian Regulations:**

**DSL / NDSL:** 100% of the components are listed or exempt.

### **Section 16: Other Information**

#### GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H314 : Causes severe skin burns and eye

damage

H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction

H318 : Causes serious eye damage H319 : Causes serious eye irritation

H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

## Total Fractional Values (TFV) Risk

(67.39) Aquatic Chronic Toxicity, Category 3

(10.50) Sensitization, Skin, Category 1B (3.38) Skin Corrosion/Irritation, Category 3

(2.82) Sensitization, Skin, Category 1A

(1.32) Acute Toxicity Oral, Category 5

(1.13) Eye Damage/Eye Irritation, Category 2

(1.10) Aquatic Acute Toxicity, Category 1

#### (TFV) Risk

(58.11) Acute Toxicity Inhalation, Category 5

(6.74) Aquatic Chronic Toxicity, Category 2

(2.82) Sensitization, Skin, Category 1

(1.74) Skin Corrosion/Irritation, Category 2

(1.30) Acute Toxicity Dermal, Category 5

(1.12) Aquatic Chronic Toxicity, Category 4

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to



information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.