



Safety Data Sheet

Spearmint Eucalyptus Fragrance Oil

August 14th, 2023

Section 1: Chemical Product and Company Identification

Product name: Spearmint Eucalyptus Fragrance Oil
Contact Info: Bramble Berry Inc.
2138 Humboldt Street
Bellingham, WA 98225
info@brambleberry.com
www.brambleberry.com
1-877-627-7883

Emergency Phone Number: Within USA & Canada: 1.800.424.9300 CCN693143
Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 3	H316 : Causes mild skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 2	H401 : Toxic to aquatic life
Aquatic Chronic Toxicity, Category 3	H412 : Harmful to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation



BRAMBLE BERRY

HANDCRAFT PROVISIONS

Reproductive Toxicity, Category 2

H361 : Suspected of damaging fertility or the unborn child

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace



BRAMBLE BERRY

HANDCRAFT PROVISIONS

P273	Avoid release to the environment
P281	Use personal protective equipment as required

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P308 + P313	IF exposed or concerned: Get medical advice/attention
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse

2.3 Other Hazards

no data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# <i>Ingredient</i>	EC#	Conc. Range	GHS Classification
107-75-5 Hydroxycitronellal	203-518-7	10-20%	H317; H319; H402
120-51-4 Benzyl Benzoate	204-402-9	5-10%	H302; H313; H400; H411
5989-27-5 Limonene	227-813-5	2-5%	H226; H304; H315; H317; H400; H412
105-95-3 Ethylene brassylate	203-347-8	2-5%	H401
115-95-7 Linalyl Acetate	204-116-4	2-5%	H227; H315; H317; H320; H402
65405-77-8 cis-3-Hexenyl salicylate	265-745-8	2-5%	H303; H400; H411
78-70-6	201-134-3	1-2%	H227; H303; H315; H317; H319; H402



BRAMBLE BERRY

HANDCRAFT PROVISIONS

Linalool			
470-82-6 Eucalyptol	207-431-5	0.1-1.0%	H226; H303; H317; H320; H402
6485-40-1 l-Carvone	229-352-5	0.1-1.0%	H227; H303; H313; H317; H401
10458-14-7 Menthone (isomer unspecified)	2330944-9	0.1-1.0%	H227; H303; H315; H317; H402; H412
91-64-5 Coumarin	202-086-7	0.1-1.0%	H301; H317; H402
99-64-5 gamma-Terpinene	202-794-6	0.1-1.0%	H226; H303; H304; H316; H361
80-56-8 pinene	201-291-9	0.1-1.0%	H226; H302; H304; H315; H317; H400; H410
127-91-3 beta-Pinene	204-872-5	0.1-1.0%	H226; H304; H315; H317; H400; H410
119-36-8 Methyl Salicylate	204-317-7	0.1-1.0%	H302; H317; H318; H361; H402; H412

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 4.61

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture



BRAMBLE BERRY

HANDCRAFT PROVISIONS

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:

Component:

80-56-8

pinene

ACGIH
TWA ppm
20

ACGIH
STEL ppm

OSHA
TWA ppm

OSHA
STEL ppm



BRAMBLE BERRY

HANDCRAFT PROVISIONS

127-91-3

beta Pinene

20

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Yellow (G6) to Yellow (G8)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): 208°F (97.78°C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20°C): 0.0528

%VOC: 7.30

Specific Gravity @ 25°C: Not determined

Density @ 25°C: Not determined

Refractive Index @ 20°C: Not determined

Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity	None
Chemical stability	Stable
Possibility of hazardous reactions	None known
Conditions to avoid	None known
Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
Hazardous decomposition products	None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 4315.9740) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 475.9846) May be harmful if inhaled
Skin corrosion / irritation:	Causes mild skin irritation
Serious eye damage / irritation:	Causes serious eye irritation
Respiratory sensitization:	Not classified - the classification criteria are not met
Skin sensitization:	May cause an allergic skin reaction
Germ cell mutagenicity:	Not classified - the classification criteria are not met
Carcinogenicity:	Not classified - the classification criteria are not met
Reproductive toxicity:	Suspected of damaging fertility or the unborn child
Specific target organ toxicity - single exposure:	Not classified - the classification criteria are not met
Specific target organ toxicity -repeated exposure:	Not classified - the classification criteria are not met
Aspiration hazard:	Not classified - the classification criteria are not met

Section 12: Ecological Information

12.1 Toxicity

Acute aquatic toxicity: Very Toxic to aquatic life

Chronic aquatic toxicity: Harmful to aquatic life with long lasting effects

Toxicity Data on soil: No data available.

Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Marine Pollutant: Yes Ingredient of greatest environmental impact:

120-51-4 : (20-30%) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated – Not Dangerous Goods			
ADR/RID (International Road/Rail) Chemicals NOI	Not Regulated – Not Dangerous Goods			
IATA (Air Cargo) Chemicals NOI	Not Regulated – Not Dangerous Goods			
IMDG (Sea) Chemicals NOI	Not Regulated – Not Dangerous Goods			

Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains NO components of concern

California Proposition 65 Warning: This product contains the following components:

123-35-3(NFS)	204-622-5	0.1-1.0%	beta-Myrcene (Natural Source)
89-82-7	201-943-2	0.01-0.1%	Pulegole (Natural Source)

Canadian Regulations:

DSL / NDSL: 100.00% of the components are listed or exempt.



BRAMBLE BERRY

HANDCRAFT PROVISIONS

Section 16: Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction	H315 : Causes skin irritation
H319 : Causes serious eye irritation	H318 : Causes serious eye damage
H400 : Very Toxic to aquatic life	H320 : Causes eye irritation
H410 : Very toxic to aquatic life with long lasting effects	H402 : Harmful to aquatic life
	H411 : Toxic to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(18.33) Acute Toxicity Inhalation, Category 5
(10.00) Sensitization, Skin, Category 1B
(4.54) Aquatic Chronic Toxicity, Category 3
(1.74) Eye Damage/Eye Irritation, Category 2
(1.16) Acute Toxicity Oral, Category 5
(1.02) Skin Corrosion/Irritation, Category 3

(TFV) Risk

(10.50) Acute Toxicity Inhalation, Category 5
(5.06) Aquatic Acute Toxicity, Category 2
(1.82) Reproductive Toxicity, Category 2
(1.35) Eye Damage/Eye Irritation, Category 2A
(1.15) Acute Toxicity Oral, Category 5

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.