



BRAMBLE BERRY

HANDCRAFT PROVISIONS

Safety Data Sheet Mahogany Fragrance Oil

April 3rd, 2023

Section 1: Chemical Product and Company Identification

Product name: Mahogany Fragrance Oil
Contact Info: Bramble Berry Inc.
2138 Humboldt Street
Bellingham, WA 98225
info@brambleberry.com
www.brambleberry.com
1-877-627-7883

Emergency Phone Number:
Within USA & Canada: 1.800.424.9300 CCN693143
Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
---------------------------------------	-------------------------------

Sensitization, Skin, Category 1B
Eye Damage/Eye Irritation, Category 2A

H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labeling (GHS)

Hazard pictograms



Signal Word: Warning

Hazard statements

H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell



BRAMBLE BERRY

HANDCRAFT PROVISIONS

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# <i>Ingredient</i>	EC#	Conc. Range	GHS Classification
120-54-1 Benzyl Benzoate	204-402-9	10-20%	H302; H313; H400; H411
54464-57-2 Tetramethyl Acetyloctahydronaphthalenes	259-174-3	2-5%	H315; H317; H401; H411
18479-58-8 2,6-dimethyloct-7-en-2-ol	242-362-4	2-5%	H227; H303; H315; H319; H402
2020341-69- (3E)-3,4,5,6,6-pentamethylhept-3-en-2 -one	939-627-8	2-5%	H227; H317; H401; H411
28219-61-6 Ethyl trimethylcyclopentene butanol	248-908-8	2-5%	H315; H319; H401; H411
122-40-7 Amyl Cinnamal	204-541-5	1-2%	H303; H316; H317; H401; H411
115-95-7 Linalyl Acetate	204-116-4	0.1-1.0%	H227; H315; H317; H320; H402
29461-13-0	249-648-8	0.1-1.0%	H316; H317; H401; H411



BRAMBLE BERRY

HANDCRAFT PROVISIONS

2.a.,4a.a.,8.β.)-Hexahydro-1,1,5,5-tetra-methyl-2H-2,4a-methanonaphthalene-8(5H)-one			
101-86-0 Hexyl cinnamal	202-983-3	0.1-1.0%	H303; H316; H317; H400; H411
91-64-5 Coumarin	202-086-7	0.1-1.0%	H301; H317; H402
67634-15-5 Ethyl 2,2-dimethylhydrocinnamal	266-819-2	0.1-1.0%	H315; H317; H400; H411
106-22-9 Citronellol	203-375-0	0.1-1.0%	H303; H313; H315; H317; H319; H401
5989-27-5 Limonene	227-813-5	0.1-1.0%	H226; H304; H315; H317; H400; H412
78-70-6 Linalool	201-134-4	0.1-1.0%	H227; H303; H315; H317; H319; H402
86803-90-9 Methoxy dicyclopentadiene carboxaldehyde	429-860-9	0.1-1.0%	H303; H317; H401; H411
68737-61-1 Dimethyltetrahydro Benzaldehyde	272-942-2	0.1-1.0%	H227; H303; H313; H315; H317; H401; H411
52475-86-2 1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde	257-942-2	0.1-1.0%	H315; H317; H318; H400; H410
24720-09-0 alpha-damascone	246-430-4	0.1-1.0%	H302; H313; H317; H401; H411

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.61

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:
Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: There are no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow (G3)

Viscosity: Liquid

Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): >200°F (93.33°C)

Auto flammability: Not determined

Explosive Properties: None Expected

Oxidizing properties: None Expected

Vapor Pressure (mmHg@20°C): 0.0131

%VOC: 1.75

Specific Gravity @ 25°C: 0.9419

Density @ 25°C: 0.9380

Refractive Index @ 20°C: 1.4640

Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity	None
Chemical stability	Stable
Possibility of hazardous reactions	None known



BRAMBLE BERRY

HANDCRAFT PROVISIONS

Conditions to avoid	None known
Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
Hazardous decomposition products	None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 3724.7159) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	Not classified - the classification criteria are not met
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 155.2575) May be harmful if inhaled
Skin corrosion / irritation:	Causes skin irritation
Serious eye damage / irritation:	Causes eye irritation
Respiratory sensitization:	Not classified - the classification criteria are not met
Skin sensitization:	May cause an allergic skin reaction
Germ cell mutagenicity:	Not classified - the classification criteria are not met
Carcinogenicity:	Not classified - the classification criteria are not met
Reproductive toxicity:	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure:	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure:	Not classified - the classification criteria are not met
Aspiration hazard:	Not classified - the classification criteria are not met

Section 12: Ecological Information

12.1 Toxicity

Acute aquatic toxicity: Not classified - the classification criteria are not met

Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on soil: No data available.

Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Marine Pollutant: Yes. Ingredient of greatest environmental impact:
 120-51-4 : (10-20%) : Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk) Chemicals NOI	Not Regulated – Not Dangerous Goods			
ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea) Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt.

40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains NO components of concern.

U.S. State Regulations:

California Proposition 65 Warning: This product contains the following components:

123-35-3(NF)	204-622-5	0.01-0.1%	beta-Myrcene (Natural Source)
89-82-7	201-943-2	<= 30 ppm	Pulegole (Natural Source)

Canadian Regulations:



BRAMBLE BERRY

HANDCRAFT PROVISIONS

DSL / NDSL: 100.00% of the components are listed or exempt.

Section 16: Other Information

GHS H-Statements referred to under section 3 and not listed in Section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H301 : Toxic if swallowed	H302 : Harmful if swallowed
H304 : May be fatal if swallowed and enters airways	H313 : May be harmful in contact with skin
H317 : May cause an allergic skin reaction	H316 : Causes mild skin irritation
H320 : Causes eye irritation	H318 : Causes serious eye damage
H401 : Toxic to aquatic life	H400 : Very Toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H402 : Harmful to aquatic life
	H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk

(32.20) Acute Toxicity Inhalation, Category 5
(4.80) Sensitization, Skin, Category 1B
(1.69) Skin Corrosion/Irritation, Category 2
(1.34) Acute Toxicity Oral, Category 5
(1.12) Aquatic Chronic Toxicity, Category 2
(1.04) Aquatic Chronic Toxicity, Category 4

(TFV) Risk

(11.17) Aquatic Chronic Toxicity, Category 3
(1.95) Skin Corrosion/Irritation, Category 3
(1.47) Eye Damage/Eye Irritation, Category 2A

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.