

Safety Data Sheet Bramble Berry Fragrance Oil

March 8th. 2023

Section 1: Chemical Product and Company Identification

Product name: Bramble Berry Fragrance Oil

Contact Info: Bramble Berry Inc.

2138 Humboldt Street Bellingham, WA 98225 info@brambleberry.com www.brambleberry.com

1-877-627-7883

Emergency Phone Number:

Within USA & Canada: 1.800.424.9300 CCN693143 Outside USA & Canada: +1.703.527.3887 (collect calls

accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Flammable Liquids, Category 4 H227 : Combustible liquid

Acute Toxicity Oral, Category 5 H303: May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1B H317 : May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 1 H318 : Causes serious eye damage
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled
Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Flammable Liquids, Category 4 H227 : Combustible liquid Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation



Sensitization, Skin, Category 1B Eye Damage/Eye Irritation, Category 1

Classification Other

Carcinogenicity

H317: May cause an allergic skin reaction H318 : Causes serious eye damage

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP[]OSHA[]

2.2 Label elements Labeling (GHS) **Hazard pictograms**







Signal Word: Danger **Hazard statements**

H227	Combustible liquid
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P235	Keep cool
D004	14/ 1 1

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water



P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel
	unwell
P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes Remove
	contact lenses if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO2), Dry chemical, or Foam for extinction.
	Do not use a direct water jet on burning material
P391	Collect Spillage

2.3 Other Hazards

no data available

Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a

health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

Chemicals (GHS):

CAS# Ingredient	EC#	Conc. Range	GHS Classification
120-51-4	204-402-9	10-20%	H302; H313; H400; H411
Benzyl Benzoate			
24851-98-7	246-495-9	10-20%	H402
Methyldihydrojasmonate			
13339-55-6	233-732-6	5-10%	H227; H303; H316; H317; H319; H402
Ethyl Linalool			
100-51-6	202-859-9	5-10%	H302; H313; H319
Benzyl Alcohol			
101-86-0	202-983-3	5-10%	H303; H316; H317; H400; H411
Hexyl cinnamal			
78-70-6	201-134-4	2-5%	H227; H303; H315; H317; H319; H402
Linalool			



4940-11-8	225-582-5	2-5%	H302; H401
Ethyl Maltol			
106-24-1	203-377-1	2-5%	H303; H315; H317; H318; H402
Geraniol			
104-20-1	203-184-2	2-5%	H402
4-(p-Methoxyphenyl)-2-butanone			
5471-51-2	226-806-4	2-5%	H402
Raspberry Ketone			
63500-71-0	405-040-6	2-5%	H319
Isobutyl Methyl Tetrahydropyranol			
103-95-7	203-161-7	1-2%	H227; H303; H315; H317; H401; H412
Cyclamen Aldehyde			
7452-79-1	231-225-4	1-2%	H226
Ethyl 2-methylbutyrate			
106-25-2	203-378-7	1-2%	H303; H315; H317; H319; H401
Nerol			
127-51-5	204-846-3	1-2%	H316; H317; H320; H401; H411
a-Isomethyl ionone			
5989-27-5	227-813-5	0.1-1.0%	H226; H304; H315; H317; H400; H412
Limonene			
115-95-7	204-116-4	0.1-1.0%	H227; H315; H317; H320; H402
Linalyl Acetate			
68737-61-1	272-113-5	0.1-1.0%	H227; H303; H313; H315; H317; H401;
Dimethyltetrahydro Benzaldehyde			H411
67634-15-5	266-819-2	0.1-1.0%	H315; H317; H400; H411
Ethyl 2, 2-dimethylhydrocinnamal			

See Section 16 for full text of GHS classification codes Total Hydrocarbon Content (% w/w) = 0.97

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available



Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.



Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields,

etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where

appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Colorless - Yellow Tint (G0-G1)

Viscosity: Liquid

Freezing Point: Not determined Boiling Point: Not determined Melting Point: Not determined

Flashpoint (CCCFP): 199°F (92.78°C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20°C): 0.1216

%VOC: 4.43

Specific Gravity @ 25°C: 0.9770

Density @ 25°C: 0.9740

Refractive Index @ 20°C: 1.4870

Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity
Chemical stability
Possibility of hazardous reactions
Conditions to avoid
None known
None known

Incompatible materialsStrong oxidizing agents, strong acids, and alkalis

Hazardous decomposition products None known



Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2777.6888) May be harmful if swallowed (LD50: 4623.1069) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 36.6358) May be harmful if inhaled

Skin corrosion / irritation: Causes skin irritation

Serious eye damage / irritation: Causes serious eye irritation

Respiratory sensitization: Not classified - the classification criteria are not met

Skin sensitization: May cause an allergic skin reaction

Germ cell mutagenicity:

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure: Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure: Not classified - the classification criteria are not

Aspiration hazard: Not classified - the classification criteria are not met

Section 12: Ecological Information

12.1 Toxicity

met

Acute aquatic toxicity: Very Toxic to aquatic life.

Chronic aquatic toxicity: Toxic to aquatic life with long lasting effects.

Toxicity Data on soil: No data available.

Toxicity on other organisms: No data available.

12.2 Persistence and degradability: No data available.

12.3 Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.



Section 14: Transport Information

Marine Pollutant: Yes. Ingredient of greatest environmental impact:

120-51-4: (10-20%): Benzyl Benzoate

Regulator	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)	Not Regulat	Not Regulated – Not Dangerous Goods			
Chemicals NOI					
ADR/RID (International Road/Rail)	9	III		UN3082	
Chemicals NOI					
IATA (Air Cargo)	9	III		UN3082	
Chemicals NOI					
IMDG (Sea)	9	III		UN3082	
Chemicals NOI					

Section 15: Regulatory Information

U.S. Federal Regulations:

TSCA (Toxic Substance Control Act): All components of the substance/mixture are listed or exempt. 40 CFR (EPCRA, SARA, CERCLA and CAA): This product contains NO components of concern. U.S. State Regulations:

California Proposition 65 Warning: This product contains the following components:

123-35-3(NF 204-622-5 0.01-0.1% beta-Myrcene (Natural Source)

Canadian Regulations:

DSL / NDSL: 99.94% of the components are listed or exempt. The following components are

NOT on the list:

476332-65-7 0.01-0.1% 2HIndeno[4,5b] furan, decahydro-2,2,6,6,7,8,8-heptamethyl

Section 16: Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways H316 : Causes mild skin irritation H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

H320 : Causes eye irritation H401 : Toxic to aquatic life

H402 : Harmful to aquatic life H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(136.48) Acute Toxicity Inhalation, Category 5 (13.45) Aquatic Chronic Toxicity, Category 3



(8.00) Sensitization, Skin, Category 1B

(5.51) Eve Damage/Eye Irritation, Category 2A

(1.90) Skin Corrosion/Irritation, Category 2

(1.34) Aquatic Chronic Toxicity, Category 2 (1.14) Eye Damage/Eye Irritation, Category 1

(1.01) Aquatic Acute Toxicity, Category 1

(5.68) Eye Damage/Eye Irritation, Category 2

(3.44) Skin Corrosion/Irritation, Category 3

(1.80) Acute Toxicity Oral, Category 5

(1.16) Aquatic Chronic Toxicity, Category 4

(1.08) Acute Toxicity Dermal, Category 5

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.