

Safety Data Sheet Shave and a Haircut Fragrance Oil

July 14, 2022

Section 1: Chemical Product and Company Identification

Product name: Shave and a Haircut Fragrance Oil

Contact Info: Bramble Berry Inc.

2138 Humboldt Street Bellingham, WA 98225 info@brambleberry.com www.brambleberry.com

1-877-627-7883

Emergency Phone Number:

Within USA & Canada: 1.800.424.9300 CCN693143

Outside USA & Canada: +1.703.527.3887 (collect calls accepted)

Section 2: Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS and (EC) No 1272/2008 (CLP)

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Skin Corrosion/Irritation, Category 2 H315 : Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction
Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation
Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Skin Corrosion/Irritation, Category 2 H315: Causes skin irritation

Sensitization, Skin, Category 1A H317 : May cause an allergic skin reaction Eye Damage/Eye Irritation, Category 2 H319 : Causes serious eye irritation

Aquatic Chronic Toxicity, Category 2 H411 : Toxic to aquatic life with long lasting effects

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning Hazard statements

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation
H333 May be harmful if inhaled

H411 Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

Response:

P302 + P352 IF ON SKIN: Wash with soap and water

P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if

present and easy to do. continue rinsing

P312 Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention

P337 + P313 If eye irritation persists: Get medical advice/attention
P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P391 Collect Spillage

2.3 Other Hazards

no data available



Section 3: Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a

health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of

Chemicals (GHS):

CAS#	EC#	Conc.	GHS Classification
Ingredient		Range	
21145-77-7	244-240-6	5-10%	H302; H400; H410
Acetyl hexamethyl tetralin			
18479-58-8	242-362-4	2-5%	H227; H303; H315; H319; H402
2,6-dimethyloct-7-en-2-ol			
32388-55-9	251-020-3	2-5%	H303; H317; H400; H410
Acetyl cedrene			
101-86-0	202-983-3	2-5%	H303; H316; H317; H400; H411
Hexyl cinnamal			
115-95-7	204-116-4	2 – 5%	H227; H315; H317; H320; H402
Linalyl Acetate			
77-54-3	201-036-1	2-5%	H317; H400; H410
Cedryl acetate			
78-70-6	201-134-4	2-5%	H227; H303; H315; H317; H319; H402
Linalool			
5989-27-5	227-813-5	1-2%	H226; H304; H315; H317; H400; H412
Limonene			
125-12-2	204-727-6	1-2%	H227; H316; H401
Isobornyl acetate			
120-51-4	204-402-9	1-2%	H302; H313; H400; H411
Benzyl Benzoate			
127-51-5	204-846-3	1-2%	H316; H317; H320; H401; H411
a-Isomethyl ionone			
1222-05-5	214-946-9	1-2%	H316; H400; H410
Hexamethylindanopyran			
118-58-1	204-262-9	0.1-1.0%	H303; H317; H320; H401; H412
Bensyl Salicylate			
97-53-0	202-589-1	0.1-1.0%	H303; H316; H317; H319; H401
Eugenol			
106-22-9	203-375-0	0.1-1.0%	H303; H313; H315; H317; H319; H401
Citronellol			
32210-234	250-954-9	0.1-1.0%	H303; H317; H401
4-tert-Butylcyclohexyl acetate			
80-56-8	201-291-9	0.1-1.0%	H226; H302; H304; H315; H317; H400;
Pinene			H410
6259-76-3	228-408-6	0.1-1.0%	H316; H317; H400; H410



Hexyl salicylate			
470-82-6	207-431-5	0.1-1.0%	H226; H303; H317; H320; H402
Eucalyptol			
52475-86-2	257-942-2	0.1-1.0%	H315; H317; H318; H400; H410
1-Methyl-4-(4-methyl-3-			
pentenyl)cyclohex-3-ene-1-carbaldehyde			

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 2.23

Section 4: First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest. Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist. **Skin Exposure:** Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if

symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed Treatment:

Refer to Section 2.2 "Response"

Section 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable: Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

Section 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions



Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

Section 7: Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

Section 8: Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure values.

Component		ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
80-56-8	pinene	20			

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

Section 9: Physical and Chemical Properties



9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard **Color:** Conforms to Standard

Viscosity: Liquid

Freezing Point: Not determined
Boiling Point: Not determined
Melting Point: Not determined
Flashpoint (CCCFP): >200 F (93.33 C)
Auto flammability: Not determined
Explosive Properties: None Expected
Oxidizing properties: None Expected
Vapor Pressure (mmHg@20 C): 0.0358

%VOC: 2.40

Specific Gravity @ 25 C: Not determined

Density @ 25 C: Not determined

Refractive Index @ 20 C: Not determined

Soluble in: Oil

Section 10: Stability and Reactivity

Reactivity None
Chemical stability Stable

Possibility of hazardous reactionsNone knownConditions to avoidNone known

Incompatible materials Strong oxidizing agents, strong acids, and alkalis

Hazardous decomposition products None known

Section 11: Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 4143.0622)May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg Not classified - the classification criteria are not met

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 83.0212) May be harmful if inhaled

Skin corrosion / irritationCauses skin irritationSerious eye damage / irritationCauses serious eye damage

Respiratory sensitizationNot classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met



Specific target organ toxicity - repeated exposureAspiration hazard

Not classified - the classification criteria are not met
Not classified - the classification criteria are not met

Section 12: Ecological Information

12.1 Toxicity

Acute aquatic toxicity: Not classified - the classification criteria are not met

Chronic aquatic toxicity:Toxic to aquatic life with long lasting effects.

Toxicity Data on soil:No data available.Toxicity on other organisms:No data available.

12.2 Persistence and degradability: No data available. **12.3** Bioaccumulative potential: No data available.

12.4 Mobility in soil: No data available.

12.5 Other adverse effects: No data available.

Section 13: Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Section 14: Transport Information

Marine Pollutant Yes. Ingr	edient of greatest	t environmental impact :			
21145-77-7 : (5 - 10 %) : Acetyl hexamethyl tetralin					
Regulator	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-Bulk)	J.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods				
Chemicals NOI					
ADR/RID (International Road/Rail)	9	III		UN3082	
Chemicals NOI					
IATA (Air Cargo)	9	III		UN3082	
Chemicals NOI					
IMDG (Sea)	9	III		UN3082	
Chemicals NOI					

Section 15: Regulatory Information

Additional European Regulations

European Union (EINECS, ELINCS or NLP) 100.00% (By Wt) of the components are listed or exempt.

Additional Asian Regulations

Australian AICS 100.00% (By Wt) of the ingredients on AICS or notified.

Chinese IECS 100.00% (By Wt) of the ingredients on IECS.



Japan ENCS 99.15% (By Wt) of the ingredients on ENCS, fall within the

1000 kilogram per annum exemption or have been notified.

Korea KECL 100.00% (By Wt) of the ingredients on KECL, fall within the

100 kilogram per annum exemption or have been notified.

New Zealand NZIoc 100.00% (By Wt) of the ingredients on NZIoc. **Philippines PICCS** 100.00% (By Wt) of the ingredients on PICCS.

The Status of the following ingredient(s) is NOT known for the registration lists noted;

Asian Disclosure Lists noted within <> brackets after name

67634-00-8 266-803-5 0.1 - 1.0 % Isoamyl Allylglycollate: <ENCS>

52475-86-2 257-942-2 0.1 - 1.0 % 1-Methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-

carbaldehyde: <ENCS>

Section 16: Other Information

GHS H-Statements referred to under section 3

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed H304 : May be fatal if swallowed and enters airways

H313: May be harmful in contact with skin
 H316: Causes mild skin irritation
 H317: May cause an allergic skin reaction
 H318: Causes serious eye damage
 H319: Causes serious eye irritation
 H320: Causes eye irritation
 H401: Toxic to aquatic life

H402 : Harmful to aquatic life H410 : Very toxic to aquatic life with long lasting

effects

H412: Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(60.23) Acute Toxicity Inhalation, Category 5 (59.85) Aquatic Chronic Toxicity, Category 3 (5.98) Aquatic Chronic Toxicity, Category 2 (3.80) Sensitization, Skin, Category 1B

(2.23) Skin Corrosion/Irritation, Category 3 (2.00) Sensitization, Skin, Category 1

(2.00) Sensitization, Skin, Category 1A (1.60) Eye Damage/Eye Irritation, Category 2

(1.38) Skin Corrosion/Irritation, Category 2 (1.21) Acute Toxicity Oral, Category 5 (1.07) Eye Damage/Eye Irritation, Category 2A

The information in this publication is believed to be accurate and is given in good faith, but no representation of warranty as to its completeness or accuracy is made. Suggestions for uses or applications are only opinions. Users are responsible for determining the suitability of these products for their own particular purpose. No representing of warranty, expressed or implied, is made with respect to information or products including, without limitation, warranties or merchantability, fitness for a particular purpose, non-fringement of any third party patent or other intellectual property rights including, without limit, copyright, trademark and design.